



EYE TOWN COUNCIL

Minutes of the Town Hall Committee Meeting held at 7pm on 25th June 2020

by zoom video link

Persons present: Cllrs Byles (Chair), Evitt, Brandon, Hudson and O'Mard

1. **Apologies for absence**_Cllr Berry co-opted member.
2. **Declaration of any interests and consideration** of Requests for Dispensation. None received
3. **Public requests and community announcements** – none received.
4. **Minutes of the previous meeting** held on 28th May – noted and approved.
5. **Valuation of the pictures in the Council chamber** – the new valuation of the pictures following their vandalising and restoration was noted and the new valuation of £46,000 prepared by James Weedon was approved unanimously by the Committee.
6. **The PWLB deferral of payments for six months application.** It was noted this application has been prepared in final form and sent to the Ministry of Housing Communities and Local Government by the Town Clerk
7. **Opening up the Town Hall to WW.** The risk assessment prepared by the Chair was noted and the Chair informed the Committee that the Town Clerk, the Caretaker and herself are meeting with WW leader tomorrow to check through plans and procedures to open up the Town Hall so it is virus free (as far as is possible). It was agreed this risk assessment would provide a basis for opening up the Town Hall but would have to be amended depending on the activities to be carried out by hirers, the age group concerned and the regulations in place at the time.
8. **The large refuse bin outside the Town Hall** – the Committee noted this has been put there by the chemist across the road. The Town Clerk has sent a letter to the chemist requesting its removal. If this does not occur SCC will be informed and will issue an enforcement notice requiring its removal.
9. **Any other business** the Committee noted the lack of bookings both now and in the future but hoped that as the virus dies down that this will alter.

Resolutions to Eye Town Council – none

The Meeting ended at 7.20pm.